






# ADDENDUM TO TEIKIN CATALOG VOL. 22 DATED SEPTEMBER 30, 2022




HINO		DIESEL APPLICATION					
<b>J08E-II</b>	6 cyl.	Ø <b>112.00</b> -18.8	1 - 2.5 1 - 2.0	Ø 37.000 TL 85.00			
BLUE RIBBON RAINBOW RANGER ( 2010- ) S'ELEGA		CD 57.00 TL 100.00	1 - 4.0				
		<b>TEIKIN NO.</b> 36138AG		<b>TEIKIN NO.</b> P 36127			
		*W/ Insert Bush <b>REFERENCE NO.</b> S130B-E0391					
<b>Surface Treatment</b>	<b>Bore Clearance</b>						
Moly Skirt	MRC: 0.060 mm MP: 19.00 mm						1



HYUNDAI		GASOLINE APPLICATION					
<b>G4NA</b>	4 cyl.	Ø <b>81.00</b> -2.7	1 - 1.0 1 - 1.2	Ø 20.000 TL 49.00			
Creta ( 2017-2019 ) Elantra 11 ( 2011-2013 ) Elantra 14 ( 2013-2015 ) Elantra 16 ( 2016-2018 ) IX35 / Tucson 10 ( 2009-2013 )		CD 28.50 TL 46.00	1 - 2.0				
		<b>TEIKIN NO.</b> 51175		<b>TEIKIN NO.</b> P 51146			
		<b>REFERENCE NO.</b> 23041-2E600 23041-2E610 23041-2E620					
<b>Surface Treatment</b>	<b>Bore Clearance</b>						
Moly Skirt Anodized Crown 1st Ring Anodized	MRC: 0.030 mm MP: 8.00 mm						2



HYUNDAI		GASOLINE APPLICATION					
<b>G4KH-II</b>	4 cyl.	Ø <b>86.00</b> +1.4	2 - 1.2	Ø 22.000 TL 58.00			
Santa FE ( 2019-2020 ) Santa Fe Sport ( 2016-2018 ) Sonata ( 2015-2019 ) Optima ( 2016-2020 ) Sorento ( 2015-2018 )		CD 30.00 TL 53.40	1 - 2.0				
		<b>TEIKIN NO.</b> 51174A		<b>TEIKIN NO.</b> P 43290			
		<b>REFERENCE NO.</b> 23410-2G470 23410-2G450 23410-2G460					
<b>Surface Treatment</b>	<b>Bore Clearance</b>						
Moly Skirt	MRC: 0.030 mm MP: 5.50 mm						3



HYUNDAI		GASOLINE APPLICATION					
<b>G6DG</b>	6 cyl.	Ø <b>92.00</b> +5.7	2 - 1.2	Ø 22.000 TL 58.00			
Aslan ( 2014-2017 ) Genesis 14 ( 2013-2016 ) Genesis/Rohens 07 ( 2008-2014 ) Grand Santa Fe ( 2016-2018 ) Grandeur HG ( 2010-2014 )		CD 29.10 TL 55.70	1 - 2.0				
		<b>TEIKIN NO.</b> 51170		<b>TEIKIN NO.</b> P 43290			
		<b>REFERENCE NO.</b> 23041-3CEM0 ( R ) 23041-3CEA0 ( L )					
		*Right Side Shown					
<b>Surface Treatment</b>	<b>Bore Clearance</b>						
Moly Skirt Anodized Crown 1st Ring Anodized	MRC: 0.030 mm MP: 7.00 mm						4



# ADDENDUM TO TEIKIN CATALOG VOL. 22 DATED SEPTEMBER 30, 2022




HYUNDAI		GASOLINE APPLICATION						
<b>G6DH</b>	<b>6 cyl.</b>	<b>Ø 92.00</b> +4.7	2 - 1.2	<b>Ø 22.000</b> TL 58.00				
Azera ( 2011-2016 ) Santa Fe ( 2013-2018 ) Santa Fe XL ( 2019 ) Sedona ( 2015-2018 ) Sorento ( 2014-2018 )		CD 30.70 TL 56.50	1 - 2.0					
		<b>TEIKIN NO.</b> 51171		<b>TEIKIN NO.</b> P 43290				
 *Right Side Shown		<b>REFERENCE NO.</b> 23041-3CFM0 ( R ) 23041-3CFA0 ( L ) 23041-3CFN0/B0 ( R / L ) 23041-3CFP0/C0 ( R / L ) 23041-3CZR0/N0 ( R / L )						5
<b>Surface Treatment</b>	<b>Bore Clearance</b>							
Moly Skirt Anodized Crown 1st Ring Anodized	MRC: 0.030 mm MP: 8.00 mm							


HYUNDAI		GASOLINE APPLICATION						
<b>G6DG-II</b>	<b>2999 cc</b>	<b>Ø 92.00</b> +2.0	2 - 1.2	<b>Ø 22.000</b> TL 58.00				
Grandeur/Azera ( 2011-2019 )	<b>6 cyl.</b>	CD 29.10 TL 52.00	1 - 2.0					
		<b>TEIKIN NO.</b> 51173		<b>TEIKIN NO.</b> P 43290				
 *Right Side Shown		<b>REFERENCE NO.</b> 23041-3CCA0 23041-3CCB0 23041-3CCC0 23041-3CZD0						6
<b>Surface Treatment</b>	<b>Bore Clearance</b>							
Moly Skirt Anodized Crown 1st Ring Anodized	MRC: 0.030 mm MP: 5.00 mm							

HYUNDAI		GASOLINE APPLICATION						
<b>G6DA-II</b>	<b>3778 cc</b>	<b>Ø 96.00</b> -2.2	2 - 1.2	<b>Ø 22.000</b> TL 58.00				
Veracruz ( 2009-2012 ) Azera ( 2008-2011 ) Genesis ( 2009-2011 ) Sedona ( 2010 ) Borrego ( 2008-2012 )	<b>6 cyl.</b>	CD 29.10 TL 50.50	1 - 2.0					
		<b>TEIKIN NO.</b> 51169	<b>TEIKIN NO.</b> R 51169	<b>TEIKIN NO.</b> P 43290				
 *Right Side Shown		<b>REFERENCE NO.</b> 23041-3C612 23041-3C602 23041-3C622 23041-3C942 23041-3C962	<b>REFERENCE NO.</b> 23040-3C200 23040-3C201 23040-3C920 23040-3C940					7
<b>Surface Treatment</b>	<b>Bore Clearance</b>							
Tin Coated Moly Skirt	MRC: 0.030 mm MP: 8.00 mm							


HYUNDAI		GASOLINE APPLICATION						
<b>G6DJ</b>	<b>3778 cc</b>	<b>Ø 96.00</b> +3.6	2 - 1.2	<b>Ø 22.000</b> TL 58.00				
Genesis G80 ( 2017 ) Genesis ( 2012-2016 ) Genesis Coupe ( 2012-2016 ) K900 ( 2016-2017 )	<b>6 cyl.</b>	CD 31.50 TL 55.60	1 - 2.0					
		<b>TEIKIN NO.</b> 51172		<b>TEIKIN NO.</b> P 43290				
 *Right Side Shown		<b>REFERENCE NO.</b> 23041-3CHN0 ( R ) 23041-3CHA0 ( L ) 23041-3CHM0/HPO/ZX0/ZW0 ( R ) 23041-3CHB0/HCO/ZT0/ZS0 ( L )						8
<b>Surface Treatment</b>	<b>Bore Clearance</b>							
Moly Skirt Anodized Crown 1st Ring Anodized	MRC: 0.030 mm MP: 6.50 mm							

# ADDENDUM TO TEIKIN CATALOG VOL. 22 DATED SEPTEMBER 30, 2022




ISUZU					DIESEL APPLICATION				
<b>6BD1-T</b> 6 cyl. 	Ø	<b>102.00</b> -19.5	1 - 3.0 1 - 2.5	Ø	35.000 TL 87.50	TL	204.0		<b>TEIKIN NO.</b> LKCF 39618-6 LKFF 39618-6 LKSF 39618-6
	CD	58.70				OD	106.0		
	TL	97.90	1 - 5.0			FT	4.0		
						FD	112.0		
							*DIMENSION IS FOR LFF		
	<b>TEIKIN NO.</b>		<b>TEIKIN NO.</b>	<b>TEIKIN NO.</b>	<b>TEIKIN NO.</b>		<b>TEIKIN NO.</b>		
	39618-6		R 39165-6	P 39149	B 39166		LCF 39227-6 LFF 39227-6 LSF 39227-6		
							Surface Treatment		
							None		
	<b>REFERENCE NO.</b>		<b>REFERENCE NO.</b>		<b>REFERENCE NO.</b>		<b>REFERENCE NO.</b>		
	8-94321-734-0 8-94175-027-2 5-12111-242-1 5-87810-280-3		5-12121-004-0 5-12121-005-0 5-12181-003-1 5-45454-004-2		1-12251-027-0 5-12251-006-0 9-12251-602-0		1-11261-118-0 5-11261-004-0 5-11261-118-0		
<b>Surface Treatment</b>	<b>Bore Clearance</b>								
Tin Coated	MRC: 0.030 mm MP: 17.80 mm								


9

ISUZU					DIESEL APPLICATION				
<b>4BG1</b> 4 cyl. 	Ø	<b>105.00</b> -18.8	1 - 3.0 1 - 2.5	Ø	35.000 TL 87.50	TL	203.0		<b>TEIKIN NO.</b> LKCF 39182-4 LKFF 39182-4 LKCF 39182A-4 LKFF 39182A-4
	CD	55.30				OD	109.0		
	TL	94.50	1 - 4.0			FT	4.0		
						FD	112.8		
							*DIMENSION IS FOR LFF		
	<b>TEIKIN NO.</b>		<b>TEIKIN NO.</b>	<b>TEIKIN NO.</b>	<b>TEIKIN NO.</b>		<b>TEIKIN NO.</b>		
	39182-4 39182A-4		R 39182-4	P 39149	B 39148		LCF 39182-4 LFF 39182-4		
							Surface Treatment		
							None		
	<b>REFERENCE NO.</b>		<b>REFERENCE NO.</b>		<b>REFERENCE NO.</b>		<b>REFERENCE NO.</b>		
	1-12111-377-4 1-12111-323-2 1-12111-528-0 1-12111-529-0		1-12121-065-0		1-12251-027-0 5-12251-006-0		1-11261-119-0		
<b>Surface Treatment</b>	<b>Bore Clearance</b>								
Tin Coated	MRC: 0.030 mm MP: 17.90 mm								

10


ISUZU					DIESEL APPLICATION				
<b>4BG1-T</b> 4 cyl. 	Ø	<b>105.00</b> -22.1	1 - 3.5 1 - 2.5	Ø	35.000 TL 87.50	TL	203.0		<b>TEIKIN NO.</b> LKCF 39614AG-4 LKFF 39614AG-4
	CD	55.20				OD	109.0		
	TL	94.50	1 - 4.0			FT	4.0		
						FD	112.8		
							*DIMENSION IS FOR LFF		
	<b>TEIKIN NO.</b>		<b>TEIKIN NO.</b>	<b>TEIKIN NO.</b>	<b>TEIKIN NO.</b>		<b>TEIKIN NO.</b>		
	39614AG-4		R 39614-4	P 39149	B 39148		LCF 39182-4 LFF 39182-4		
							Surface Treatment		
							None		
	<b>REFERENCE NO.</b>		<b>REFERENCE NO.</b>		<b>REFERENCE NO.</b>		<b>REFERENCE NO.</b>		
	1-12111-626-0		1-12121-115-0		1-12251-027-0 5-12251-006-0		1-11261-119-0		
<b>Surface Treatment</b>	<b>Bore Clearance</b>								
Tin Coated	MRC: 0.030 mm MP: 18.00 mm								

11

ISUZU					DIESEL APPLICATION				
<b>4HE1</b> 4 cyl. 	Ø	<b>110.00</b> -19.5	1 - 3.0 1 - 2.5	Ø	36.000 TL 79.00	TL	210.0		<b>TEIKIN NO.</b> LKFF 39607-4 LKSF 39607-4
	CD	65.90				OD	113.0		
	TL	99.80	1 - 4.0			FT	5.6 + 0.4		
						FD	119.7		
							*DIMENSION IS FOR LFF		
	<b>TEIKIN NO.</b>		<b>TEIKIN NO.</b>	<b>TEIKIN NO.</b>	<b>TEIKIN NO.</b>		<b>TEIKIN NO.</b>		
	39607-4		R 39607-4	P 39181	B 39607		LFF 39607-4* LSF 39607-4		
							Surface Treatment		
							*Phosphate (PH)		
	<b>REFERENCE NO.</b>		<b>REFERENCE NO.</b>		<b>REFERENCE NO.</b>		<b>REFERENCE NO.</b>		
	8-94396-837-0		8-94396-840-0				8-94396-332-0 8-94391-600-0 8-94391-601-0		
<b>Surface Treatment</b>	<b>Bore Clearance</b>								
Tin Coated	MRC: 0.050 mm MP: 8.50 mm								

12

# ADDENDUM TO TEIKIN CATALOG VOL. 22 DATED SEPTEMBER 30, 2022




MAZDA				DIESEL APPLICATION				
<b>SKYACTIV-D</b> MAZDA 3 ( 2013 ) MAZDA 6 / 6 WAGON ( 2012 ) MAZDA CX-5 (2011-2012)	<b>2189 cc</b> 4 cyl.	Ø <b>86.00</b> -15.0	1 - 2.0 1 - 1.5 1 - 2.0	Ø 26.000 TL 58.50				
CD 41.00 TL 61.00								
<b>TEIKIN NO.</b> 42226AG	<b>TEIKIN NO.</b> R 42226	<b>TEIKIN NO.</b> P 42226						
<b>REFERENCE NO.</b> SHY1-11-SA0	<b>REFERENCE NO.</b> SHY1-11-SC0							
<b>Surface Treatment</b> Moly Skirt	<b>Bore Clearance</b> MRC: 0.030 mm MP: 5.50 mm							
								13

MITSUBISHI				GASOLINE APPLICATION				
<b>4G64-IV</b> L200 ( 2015-2019 ) TRITON ( 2015-2019 ) STRADA ( 2015-2019 )	<b>4 cyl.</b>	Ø <b>86.50</b>	1 - 1.2 1 - 1.5 1 - 2.8	Ø 22.000 TL 62.00				
CD 30.50 TL 53.50								
<b>TEIKIN NO.</b> 43307		<b>TEIKIN NO.</b> P 43222						
<b>REFERENCE NO.</b> 1110D007								
<b>Surface Treatment</b> Tin Coated Anodized Crown 1st Ring Anodized	<b>Bore Clearance</b> MRC: 0.030 mm MP: 9.00 mm							
								14

MITSUBISHI				DIESEL APPLICATION				
<b>6DR5</b> T-210 1971	<b>3988 cc</b> 6 cyl.	Ø <b>92.00</b> -3.8	1 - 2.5 HK 2 - 2.0 1 - 4.5	Ø 28.000 TL 76.80			TL 176.0 OD 95.0	<b>TEIKIN NO.</b> LKFX 43157-6 LKSX 43157-6
CD 52.50 TL 99.70								
<b>TEIKIN NO.</b> 43157-6	<b>TEIKIN NO.</b> R 43157-6	<b>TEIKIN NO.</b> P 43157	<b>TEIKIN NO.</b> B 43157	<b>TEIKIN NO.</b> LFX 43157-6 LSX 43157-6				
<b>REFERENCE NO.</b> 31617-00104 31617-00106	<b>REFERENCE NO.</b> 31617-02012/3 31617-05102/3 ME999073		<b>REFERENCE NO.</b> 31619-00700 31619-00792	<b>REFERENCE NO.</b> 31607-02202				
<b>Surface Treatment</b> Tin Coated	<b>Bore Clearance</b> MRC: 0.080 mm MP: 25.00 mm			<b>Surface Treatment</b> None				
								15

NISSAN				GASOLINE APPLICATION				
<b>L24-II/L26-II</b>	<b>6 cyl.</b>	Ø <b>83.00</b> -1.4	2 - 2.0 1 - 4.0	Ø 21.000 TL 72.50			TL 140.0 OD 87.0	<b>TEIKIN NO.</b> LKXS 44283-6
CD 38.00 TL 78.00								
<b>TEIKIN NO.</b> 44283-6	<b>TEIKIN NO.</b> R 44269-6	<b>TEIKIN NO.</b> P 43155		<b>TEIKIN NO.</b> LSX 44269				
<b>REFERENCE NO.</b> 12010-23002 12010-E3101	<b>REFERENCE NO.</b> 12033-A0600 12033-A3500/01/02 12033-W0700 12033-W7100/10			<b>REFERENCE NO.</b> 11012-21000				
<b>Surface Treatment</b> None	<b>Bore Clearance</b> MRC: 0.030 mm MP: 22.75 mm			<b>Surface Treatment</b> None				
								16

# ADDENDUM TO TEIKIN CATALOG VOL. 22 DATED SEPTEMBER 30, 2022




NISSAN		GASOLINE APPLICATION					
<b>MR20DD</b>	<b>Ø 84.00</b>	2 - 1.2	<b>Ø 19.990</b>				
ROGUE SPORT ( 2017-2020 ) <b>4 cyl.</b>	+3.3		TL 53.00				
ROGUE HYBRID ( 2017-2019 )	CD 30.70	1 - 2.0					
QASHQAI ( 2013-2017 )	TL 52.50						
X-TRAIL ( 2014-2017 )							
	<b>TEIKIN NO.</b>		<b>TEIKIN NO.</b>				
	<b>44368G</b>		<b>P 44340</b>				
	<b>REFERENCE NO.</b>						
	A2010-4BB0C						
<b>Surface Treatment</b>	<b>Bore Clearance</b>						
Moly Skirt	MRC: 0.030 mm						
Anodized Crown	MP: 6.50 mm						
1st Ring Anodized							17

NISSAN		DIESEL APPLICATION					
<b>TD42T-II</b>	<b>Ø 96.00</b>	1 - 2.5 HK	<b>Ø 30.000</b>				
NISSAN PATROL ( 93 - 97 ) <b>6 cyl.</b>	-1.8	1 - 2.0	TL 79.80				
SAFARI ( 93 - 97 )	CD 50.30	1 - 3.0					
NISSAN CIVILIAN ( 00 - 04 )	TL 87.00						
	<b>TEIKIN NO.</b>	<b>TEIKIN NO.</b>	<b>TEIKIN NO.</b>	<b>TEIKIN NO.</b>	<b>TEIKIN NO.</b>	<b>TEIKIN NO.</b>	
	<b>44367AG</b>	<b>R 44367</b>	<b>P 44296</b>	<b>B 44630-6</b>	<b>LFF 44267-6</b>	<b>LSF 44267-6</b>	
	<b>REFERENCE NO.</b>	<b>REFERENCE NO.</b>	<b>REFERENCE NO.</b>		<b>Surface Treatment</b>		
	12010-09D11	12033-0W813/4	12030-31N00		None		
	12010-09D01	12033-DY712			<b>REFERENCE NO.</b>		
		12033-WJ115			11012-06J00		
		12033-WJ116					
<b>Surface Treatment</b>	<b>Bore Clearance</b>						
Tin Coated	MRC: 0.030 mm						
	MP: 17.50 mm						18

RENAULT		GASOLINE APPLICATION					
<b>B4D</b>	<b>Ø 71.00</b>	1 - 1.0	<b>Ø 18.000</b>				
KWID ( 2015-2019 ) <b>3 cyl.</b>	+1.4	1 - 1.2	TL 47.50				
	CD 24.30	1 - 2.0					
	TL 39.70						
	<b>TEIKIN NO.</b>		<b>TEIKIN NO.</b>				
	<b>70110</b>		<b>P 30110</b>				
	<b>REFERENCE NO.</b>						
	120A18858R						
<b>Surface Treatment</b>	<b>Bore Clearance</b>						
Anodized Crown	MRC: 0.030 mm						
1st Ring Anodized	MP: 4.00 mm						19

SUZUKI		GASOLINE APPLICATION					
<b>K10B-III</b>	<b>Ø 73.00</b>	1 - 1.0	<b>Ø 18.000</b>				
ALTO K10 ( 2014-NOW ) <b>3 cyl.</b>	+1.4	1 - 1.2	TL 46.50				
CELERIO ( 2013-2017 )	CD 27.30	1 - 2.0					
	TL 44.60						
	<b>TEIKIN NO.</b>		<b>TEIKIN NO.</b>				
	<b>45164</b>		<b>P 45148</b>				
	<b>REFERENCE NO.</b>						
	12111M76M00						
<b>Surface Treatment</b>	<b>Bore Clearance</b>						
Moly Skirt	MRC: 0.030 mm						
	MP: 6.50 mm						20

# ADDENDUM TO TEIKIN CATALOG VOL. 22 DATED SEPTEMBER 30, 2022




SUZUKI		GASOLINE APPLICATION						
<b>K14B-II</b>	<b>1373 cc</b>	<b>Ø 73.00</b>	1 - 1.0	<b>Ø 18.000</b>				
Suzuki L4 1.4L	<b>4 cyl.</b>	-3.6	1 - 1.2	TL 46.50				
2012-17, Swift		CD 26.00						
DOHC 16 Val. VVT		TL 43.30	1 - 2.0					
<b>Surface Treatment</b>	<b>Bore Clearance</b>							
Moly Skirt	MRC: 0.030 mm							
	MP: 6.50 mm							
		<b>TEIKIN NO.</b>	<b>TEIKIN NO.</b>	<b>TEIKIN NO.</b>				
		<b>45161</b>	<b>R 45161</b>	<b>P 45148</b>				
		<b>REFERENCE NO.</b>	<b>REFERENCE NO.</b>					
		12100-71840-0A0	12140-69L50					
			12140-M-83KA0					
								<b>21</b>



SUZUKI		GASOLINE APPLICATION						
<b>K12M-II</b>	<b>4 cyl.</b>	<b>Ø 73.00</b>	1 - 1.0	<b>Ø 18.000</b>				
RITZ ( 2009-2017 )			1 - 1.2	TL 47.50				
SWIFT ( 2010-2011 )		CD 27.30						
		TL 45.40	1 - 2.0					
<b>Surface Treatment</b>	<b>Bore Clearance</b>							
None	MRC: 0.030 mm							
	MP: 6.50 mm							
		<b>TEIKIN NO.</b>	<b>TEIKIN NO.</b>					
		<b>45165</b>	<b>P 30110</b>					
		<b>REFERENCE NO.</b>						
		12111M83KA0						
								<b>22</b>



TOYOTA		GASOLINE APPLICATION						
<b>1KR-FE-II</b>	<b>3 cyl.</b>	<b>Ø 71.00</b>	1 - 1.2	<b>Ø 18.000</b>				
Vitz ( 2010-2018 )		+2.5	1 - 1.0	TL 47.50				
		CD 26.70						
		TL 47.00	1 - 2.0					
<b>Surface Treatment</b>	<b>Bore Clearance</b>							
Tin Coated	MRC: 0.030 mm							
Moly Skirt	MP: 7.00 mm							
Anodized Crown								
1st Ring Anodized								
		<b>TEIKIN NO.</b>	<b>TEIKIN NO.</b>					
		<b>46412</b>	<b>P 30110</b>					
		<b>REFERENCE NO.</b>						
		13101-40060						
								<b>23</b>



TOYOTA		GASOLINE APPLICATION						
<b>M15A-FKS</b>	<b>3 cyl.</b>	<b>Ø 80.50</b>	2 - 1.2	<b>Ø 19.000</b>				
Corolla ( 2020 - Present )		+2.9		TL 47.00				
Yaris / Yaris Cross ( 2020 - Present )		CD 29.10						
		TL 47.00	1 - 2.0					
<b>Surface Treatment</b>	<b>Bore Clearance</b>							
Moly Skirt	MRC: 0.030 mm							
Anodized Crown	MP: 5.00 mm							
1st Ring Anodized								
		<b>TEIKIN NO.</b>	<b>TEIKIN NO.</b>					
		<b>46413</b>	<b>P 44609</b>					
		<b>REFERENCE NO.</b>						
		13101-15060						
								<b>24</b>



# ADDENDUM TO TEIKIN CATALOG VOL. 22 DATED SEPTEMBER 30, 2022



TOYOTA		GASOLINE APPLICATION							
<b>V35A-FTS</b>	<b>6 cyl.</b>	<b>Ø 85.50</b> +4.6	2 - 1.2	<b>Ø 23.000</b> TL 52.00					
LAND CRUISER 300 (2021-PRESENT)		CD 30.90 TL 55.00	1 - 2.0						
		<b>TEIKIN NO.</b> <b>46411A</b>	<b>TEIKIN NO.</b> <b>P 46411</b>						
 *Right Side Shown		<b>REFERENCE NO.</b> 13101-70160 (R) 13301-70030 (L)							
<b>Surface Treatment</b>	<b>Bore Clearance</b>								
Moly Skirt	MRC: 0.030 mm MP: 5.50 mm								
									25

TOYOTA		GASOLINE APPLICATION							
<b>A25A-FXS</b>	<b>2487 cc</b>	<b>Ø 87.50</b> +3.3	2 - 1.2	<b>Ø 21.010</b> TL 49.00					
RAV4 Hybrid ( 2019 - present ) Highlander Hybrid ( 2020 - present ) Camry Hybrid ( 2018 - present ) Avalon Hybrid ( 2019 - present )	<b>4 cyl.</b>	CD 32.20 TL 55.00	1 - 2.0						
		<b>TEIKIN NO.</b> <b>46409</b>	<b>TEIKIN NO.</b> <b>P 46409</b>						
 *Right Side Shown		<b>REFERENCE NO.</b> 13101-25040							
<b>Surface Treatment</b>	<b>Bore Clearance</b>								
Moly Skirt Anodized Crown 1st Ring Anodized	MRC: 0.030 mm MP: 7.50 mm								
									26

TOYOTA		GASOLINE APPLICATION							
<b>A25A-FKS</b>	<b>2487 cc</b>	<b>Ø 87.50</b> +2.1	2 - 1.2	<b>Ø 21.010</b> TL 49.00					
Avalon ( 2020-2021 ) Camry ( 2018-2021 ) RAV4 ( 2019-2021 ) ES250 ( 2021 ) ES350 ( 2020-2021 )	<b>4 cyl.</b>	CD 32.20 TL 53.80	1 - 2.0						
		<b>TEIKIN NO.</b> <b>46410</b>	<b>TEIKIN NO.</b> <b>P 46409</b>						
 *Right Side Shown		<b>REFERENCE NO.</b> 13101-25030							
<b>Surface Treatment</b>	<b>Bore Clearance</b>								
Moly Skirt Anodized Crown 1st Ring Anodized	MRC: 0.030 mm MP: 7.50 mm								
									27

TOYOTA		GASOLINE APPLICATION							
<b>2TR-FE-II</b>	<b>4 cyl.</b>	<b>Ø 95.00</b> +2.1	2 - 1.2	<b>Ø 22.000</b> TL 56.00					
TACOMA ( 2015-2021 ) HIACE ( 2013-2018 ) HILUX ( 2015-2018 ) LAND CRUISER PRADO ( 2015-2018 ) FORTUNER ( 2015-2018 )		CD 37.10 TL 59.30	1 - 2.0						
		<b>TEIKIN NO.</b> <b>46414</b>	<b>TEIKIN NO.</b> <b>P 34101</b>						
 *Right Side Shown		<b>REFERENCE NO.</b> 13101-75200							
<b>Surface Treatment</b>	<b>Bore Clearance</b>								
Moly Skirt Anodized Crown 1st Ring Anodized	MRC: 0.030 mm MP: 6.50 mm								
									28